



Size	Length	Plate Through	Letter	Count
0.150	0.000	YES	a	26
0.200	0.000	YES	b	1261
0.600	0.000	NO	A	2
0.700	0.000	YES	c	4
0.800	0.000	YES	d	6
0.800	0.000	NO	B	1
0.900	0.000	YES	e	3
1.000	0.000	YES	f	120
1.000	0.000	NO	C	1
1.100	0.000	YES	g	193
1.100	0.000	NO	D	1
1.200	0.000	YES	h	6
1.300	0.000	NO	E	1
1.500	0.000	NO	F	2
2.000	0.000	NO	G	7
2.300	0.000	YES	i	2
2.800	0.000	YES	j	2
3.200	0.000	YES	k	9
3.500	0.000	YES	l	3
3.500	0.000	NO	H	1

<b>TECHNICAL SPECIFICATIONS</b> <b>NORMALIZATION NF C 93-713</b>					
<b>CLASS : HC</b> <b>Nbr OF LAYERS : 6</b> <b>MATERIAL : FR4</b> <b>THICKNESS : 1.6mm (+-0.15mm)</b>			<b>COPPER THICKNESS</b> <b>EXTERNAL : 35µ</b> <b>INTERNAL : 35µ</b>		
<b>PROCESSING</b>					
<b>Snpb SELECT</b> <input type="checkbox"/>		<b>DRAIN</b> <input type="checkbox"/>			
<b>COPPER 25µ</b> <input type="checkbox"/>		<b>C.I.C</b> <input type="checkbox"/>			
<b>CHEM. GOLD</b> <input checked="" type="checkbox"/>		<b>TENTING VIA</b> <input type="checkbox"/>			
<b>ELEC. GOLD</b> <input type="checkbox"/>		<b>TESTER SIDE</b>			
<b>ELEC FLASH GOLD</b> <input type="checkbox"/>		<b>REF :</b>			
<b>CAPCITANCE TEST</b> <input type="checkbox"/>					
<b>GOLD CONTACT:</b> <input type="checkbox"/>					
<b>Nbr OF EDGE CONNECTOR :</b>					
<b>SOLDER MASK</b>			<b>SILKSCREEN</b>		
<b>STANDARD</b> <input type="checkbox"/>		<b>SINGLE SIDE</b> <input type="checkbox"/>		<b>DOUBLE SIDE</b> <input type="checkbox"/>	
<b>PHOTOIMAGE</b> <input checked="" type="checkbox"/>		<b>DOUBLE SIDE</b> <input checked="" type="checkbox"/>			
<b>PROBIMER</b> <input type="checkbox"/>					
<b>µBGA PITCH =</b> <span style="font-size: 2em;">➡</span> <b>BLIND VIA</b> <input type="checkbox"/>					
<b>CROSS SECTION</b> <input checked="" type="checkbox"/>					
<b>DRILLING TOLERANCE</b> <b>NORMALIZATION NF C 93-713</b>					
<b>PLATED HOLES</b>			<b>UNPLATED HOLES</b>		
<b>&lt; 0.7 NEVER</b>			<b>&lt; 1.35 ± 0.05</b>		
<b>0.7 to 2mm</b> <span style="margin-left: 20px;">+0.10</span> <span style="margin-left: 20px;">-0.05</span>			<b>&gt; 1.35 ± 0.10</b>		
<b>&gt; 2mm</b> <span style="margin-left: 20px;">+0.15</span> <span style="margin-left: 20px;">-0.10</span>					
<b>DRILLING TABLE</b>					
FORM	DIAM.	P / N.P	QTY		
MODIFS	CBR	01/2015	JRR	01/2015	
ORG-EDT	CBR	09/2014	JRR	09/2014	
MODIF.	DES.	DATE	CONTR.	DATE	
<b>NTA</b>	<b>DESIGNER : CBR</b> <b>DATE : 01/2015</b>			<b>SCALE</b> <b>1.0</b>	
	<b>CONTROLLER : JRR</b> <b>DATE : 01/2015</b>			<b>GEN. TOL.</b> <b>± 0.2</b>	
<b>NG</b>	<b>DRL CI1658</b>			<b>IND</b> <b>B</b>	<b>PAGE</b> <b>1/1</b>