

Data brief

## LIS2DE12 adapter board for a standard DIL24 socket



# **Features**

- Complete LIS2DE12 pinout for a standard DIL24 socket
- Fully compatible with the STEVAL-MKI109D evaluation platform
- RoHS compliant

### **Description**

The STEVAL-MKI175V1 is an adapter board designed to facilitate the evaluation of the LIS2DE12 3-axis accelerometer in the MEMS product family. The board offers an effective solution for fast system prototyping and device evaluation directly within the user's application.

The STEVAL-MKI175V1 can be plugged into a standard DIL24 socket. The adapter provides the complete LIS2DE12 pinout and comes ready to use with the required decoupling capacitors on the V<sub>DD</sub> power supply line.

This adapter is supported by the STEVAL-MKI109D evaluation platform, which includes a high-performance 32-bit microcontroller functioning as a bridge between the sensor and a PC, on which it is possible to use the downloadable MEMS Studio graphical user interface or dedicated software routines for customized applications.

Product summary		
LIS2DE12 adapter board for a standard DIL24 socket	STEVAL- MKI175V1	
MEMS digital output motion sensor: ultralow- power high-performance 3 axis "femto" acceleromete		
Professional MEMS tool: evaluation board for all ST MEMS sensors	STEVAL- MKI109D	



# Schematic diagram

INT2 INT U1 LIS2DE12 12 Vdd\_IO SCL/SPC SCL/SPC Vdd\_IO V<u>D</u>D \_cs C5 100nF SDO SDO/SA0 GND 100nF GND SDA/SDI/SDO SDA/SDI/SDO GND GND GND 9 VDD 24 23 22 21 20 19 18 17 16 15 14 13 2 3 4 5 6 7 8 9 10 11 INT2 INT1 GND Header12 Header12 GSPG0610160950SG

Figure 1. STEVAL-MKI175V1 circuit schematic

DB3059 - Rev 2 page 2/4



# **Revision history**

Table 1. Document revision history

Date	Version	Changes
06-Oct-2016	1	Initial release
06-Oct-2025	2	Added the STEVAL-MKI109D evaluation platform and MEMS Studio software solution

DB3059 - Rev 2 page 3/4



#### **IMPORTANT NOTICE - READ CAREFULLY**

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice.

In the event of any conflict between the provisions of this document and the provisions of any contractual arrangement in force between the purchasers and ST, the provisions of such contractual arrangement shall prevail.

The purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgment.

The purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of the purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

If the purchasers identify an ST product that meets their functional and performance requirements but that is not designated for the purchasers' market segment, the purchasers shall contact ST for more information.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2025 STMicroelectronics – All rights reserved

DB3059 - Rev 2 page 4/4